

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

An Extract of another Letter written by the same, concerning two Experiments made for finding another Passage of the Urine, besides the known one; as also some Circumstances relating to the precedent Invention of making Seawater potable.

Aving been, not long fince, employed in searching after the Passage of the Urine \* in

Animals, I made, for that purpose, a Dog drink a good quantity of water, and thereupon caused his *Oreters* to be well tyed about, and emptied his bladder. After two hours I found \* What is here more largely related, was briefly intimated in Num.65.p.2084.

the Bladder empty, and the *Oreters* were not tumid above the Ligature. Being surprised thereat, I believed, that the cause might be the too much cooling of the inward parts, that had all this while been exposed to the Air; the Section has ving been made Cross-wise, after the ordinary manner. avoid this inconvenience, I thus reiterated the Experiment upon another Dog; I caused a small opening to be made on each side, sufficient to find and to tye the Ureters, and to squeese the Urine out of the Bladder, by pressing it with ones hand. This done, I made these Openings to be sow'd up again; and then having made the Dog drink good store of water, I lest him for near three hours in the least violent posture that his Ligatures would permit. Afterwards having open'd both the holes, and the Bladder being pressed with the hand, there issued out of it a pretty quantity of Urine, and the U. reters feemed to be a little swelled above the Ligature. This Operation was made with great exactness; but yet as it is of importance for discovering the way of the Urine, I would have repeated it often, if I had not been obliged hastily to come away from the place where I then was, I am not now at leisure to try it again; but I exhort you, Sir, to engage some of your best Anatomists, among other researches to employ themselves in this Inquiry.

 $Mm_2$ 

Monsieur

Monsieur Hauton maintains, that his distill'd Sea-water (whereof I formerly wrote to you the processe) is altogether salubrious. He proveth it first from Experience, it having been given to Men and Beasts without any ill-effect at all upon them. secondly, from Reason, grounded on this, that that peculiar Earth, heretofore made mention of, being mixed with the distilled Water, blunts the points of the Volatil Spirits of the Salt, and serveth them for sheaths, if I may so speak, taking away their force and maligne sharpness, &c. St. Germain, October 30. 1670.

## A Relation

Of the abundance of Wood, found under ground in Lincolnshire; communicated by a Friend, well acquainted with

that Country.

Hat Fenny Tract, call'd the Isle of Axholme, lying part in Lincoln-shire and part in York-shire, and extending a confiderable way, hath anciently been a Woody Country, witness the abundance of Oak, Firr, and other Trees, of late frequently found in the Moore; whereof some Oak are five yards in compass, and sixteen yards long; others smaller and longer, with good quantities of Akorns near them, lying somewhat above three foot in depth, and near their roots, which do still stand as they grew, viz. in firm Earth below the Moor. Firrs lye a foot or eighteen Inches deeper, more in number than Oak, and many of them thirty yards long; one of them being, not many years since, taken up of thirty six yards long besides the top; lying also near the root, which stood likewise as it grew, having been burnt and not cut down, as the Oak had been also. The Number of these trees is reported by Mr. Dugdale, in his Book of Drayning the Fens in England (where you will find this whole narrative confirm'd) to be so great, that the Inhabitants have, for divers years last past, taken up many Cart-loads in a year.

As to the first time of the overslowing of this Woody level, no Account is given, that I know of, not by the Inquisitive and Learned Antiquary Mr. Dugdale himself, He only saith, that